

General Punctuation

Range: 2000–206F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 3.0*.

Disclaimer

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

For a complete understanding of the use of the characters contained in this excerpt file, please consult the appropriate sections of *The Unicode Standard, Version 3.0* (ISBN 0–201–61633–5), as well as the Unicode Technical Reports and the Unicode Character Database, which are available online.

See <ftp://ftp.unicode.org/Public/UNIDATA/UnicodeCharacterDatabase.html> and <http://www.unicode.org/unicode/reports>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The fonts used in these charts were provided to the Unicode Consortium by a number of different font designers

See <http://www.unicode.org/unicode/uni2book/u2fonts.html> for a list.

Terms of Use

These charts are provided as a convenient online reference to the character contents of the Unicode Standard, Version 3.0. Proper Unicode support requires considerably more than just providing glyphs for characters, and requires consulting the Unicode Standard and the Unicode Technical Reports.

You may freely use these code charts for personal or internal business uses only. You may not incorporate them into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium.
























The information in this file may be updated from time to time. The Unicode Consortium is not liable for errors or omissions in this excerpt file or the standard itself. Information on characters added to the Unicode Standard since the publication of version 3.0 as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode website.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/unicode/alloc/Pipeline.html>.





Copyright © 1991-2000 Unicode, Inc. All rights reserved.

	200	201	202	203	204	205	206
0	2000	— 2010	† 2020	‰ 2030	◌ 2040		
1	2001	2011	‡ 2021	‱ 2031	⁄ 2041		
2	2002	— 2012	• 2022	/ 2032	* * 2042		
3	2003	— 2013	▶ 2023	” 2033	■ 2043		
4	2004	— 2014	• 2024	” 2034	/ 2044		
5	2005	— 2015	.. 2025	\ 2035	{ 2045		
6	2006	2016	... 2026	” 2036	} 2046		
7	2007	= 2017	• 2027	” 2037			
8	2008	‘ 2018	2028	^ 2038	?! 2048		
9	2009	, 2019	2029	< 2039	! ? 2049		
A	200A	, 201A	202A	> 203A	7 204A		206A
B	200B	‘ 201B	202B	⊗ 203B	ℙ 204B		206B
C	200C	“ 201C	202C	!! 203C	◐ 204C		206C
D	200D	” 201D	202D	! 203D	◑ 204D		206D
E	200E	” 201E	202E	— 203E			206E
F	200F	“ 201F	202F	◌ 203F			206F


Spaces

- 2000  EN QUAD
 ≡ 2002  en space
- 2001  EM QUAD
 = mutton quad
 ≡ 2003  em space
- 2002  EN SPACE
 = nut
 • half an em
 ≈ 0020  space
- 2003  EM SPACE
 = mutton
 • nominally, a space equal to the type size in points
 • may scale by the condensation factor of a font
 ≈ 0020  space
- 2004  THREE-PER-EM SPACE
 = thick space
 ≈ 0020  space
- 2005  FOUR-PER-EM SPACE
 = mid space
 ≈ 0020  space
- 2006  SIX-PER-EM SPACE
 • in computer typography sometimes equated to thin space
 ≈ 0020  space
- 2007  FIGURE SPACE
 • space equal to tabular width of a font
 • this is equivalent to the digit width of fonts with fixed-width digits
 ≈ <noBreak> 0020  space
- 2008  PUNCTUATION SPACE
 • space equal to narrow punctuation of a font
 ≈ 0020  space
- 2009  THIN SPACE
 • a fifth of an em (or sometimes a sixth)
 ≈ 0020  space
- 200A  HAIR SPACE
 • thinner than a thin space
 • in traditional typography, the thinnest space available
 ≈ 0020  space
- 200B  ZERO WIDTH SPACE
 • nominally zero width, but may expand in justification




Formatting characters

- 200C  ZERO WIDTH NON-JOINER
 = ZWNJ
- 200D  ZERO WIDTH JOINER
 = ZWJ
- 200E  LEFT-TO-RIGHT MARK
 = LRM
- 200F  RIGHT-TO-LEFT MARK
 = RLM

Dashes

- 2010 - HYPHEN
 → 002D - hyphen-minus
- 2011  NON-BREAKING HYPHEN
 → 002D - hyphen-minus
 ≈ <noBreak> 2010 -
- 2012 - FIGURE DASH
- 2013 - EN DASH
- 2014 — EM DASH
 • may be used in pairs to offset parenthetical text
 → 30FC — katakana-hiragana prolonged sound mark
- 2015 — HORIZONTAL BAR
 = QUOTATION DASH
 • long dash introducing quoted text

General punctuation

- 2016 || DOUBLE VERTICAL LINE
 • used in pairs to indicate norm of a matrix
 → 2225 || parallel to
- 2017 = DOUBLE LOW LINE
 • this is a spacing character
 → 005F _ low line
 → 0333  combining double low line
 ≈ 0020  0333 
- 2018 ‘ LEFT SINGLE QUOTATION MARK
 = SINGLE TURNED COMMA QUOTATION MARK
 • this is the preferred glyph (as opposed to 201B ‘)
 → 0027 ' apostrophe
 → 02BB ‘ modifier letter turned comma
 → 275B • heavy single turned comma quotation mark ornament
- 2019 ’ RIGHT SINGLE QUOTATION MARK
 = SINGLE COMMA QUOTATION MARK
 • this is the preferred character to use for apostrophe
 → 0027 ' apostrophe
 → 02BC ’ modifier letter apostrophe
 → 275C • heavy single comma quotation mark ornament
- 201A , SINGLE LOW-9 QUOTATION MARK
 = LOW SINGLE COMMA QUOTATION MARK
 • used as opening single quotation mark in some languages
- 201B ` SINGLE HIGH-REVERSED-9 QUOTATION MARK
 = SINGLE REVERSED COMMA QUOTATION MARK
 • glyph variant of 2018 ‘
 → 02BD ´ modifier letter reversed comma

- 201C “ LEFT DOUBLE QUOTATION MARK
= DOUBLE TURNED COMMA QUOTATION MARK
• this is the preferred glyph (as opposed to 201F “)
→ 0022 " quotation mark
→ 275D “ heavy double turned comma quotation mark ornament
→ 301D “ reversed double prime quotation mark
- 201D ” RIGHT DOUBLE QUOTATION MARK
= DOUBLE COMMA QUOTATION MARK
→ 0022 " quotation mark
→ 2033 " double prime
→ 275E ” heavy double comma quotation mark ornament
→ 301E ” double prime quotation mark
- 201E „ DOUBLE LOW-9 QUOTATION MARK
= LOW DOUBLE COMMA QUOTATION MARK
• used as opening double quotation mark in some languages
→ 301F „ low double prime quotation mark
- 201F “ DOUBLE HIGH-REVERSED-9 QUOTATION MARK
= DOUBLE REVERSED COMMA QUOTATION MARK
• glyph variant of 201C “
- 2020 † DAGGER
= obelisk, obelus, long cross
- 2021 ‡ DOUBLE DAGGER
= diesis, double obelisk
- 2022 • BULLET
= black small circle
→ 00B7 • middle dot
→ 2024 . one dot leader
→ 2219 • bullet operator
→ 25D8 ◼ inverse bullet
→ 25E6 ◦ white bullet
- 2023 ► TRIANGULAR BULLET
→ 220E ■ end of proof
→ 25B8 ► black right-pointing small triangle
- 2024 . ONE DOT LEADER
→ 00B7 • middle dot
→ 2022 • bullet
→ 2219 • bullet operator
≈ 002E . full stop
- 2025 .. TWO DOT LEADER
≈ 002E . 002E .
- 2026 ... HORIZONTAL ELLIPSIS
= three dot leader
→ 22EE ∴ vertical ellipsis
≈ 002E . 002E . 002E .
- 2027 · HYPHENATION POINT

Formatting characters

- 2028 [SEP] LINE SEPARATOR
• may be used to represent this semantic unambiguously
- 2029 [PSEP] PARAGRAPH SEPARATOR
• may be used to represent this semantic unambiguously
- 202A [LRE] LEFT-TO-RIGHT EMBEDDING
= LRE
- 202B [RLE] RIGHT-TO-LEFT EMBEDDING
= RLE
- 202C [PDF] POP DIRECTIONAL FORMATTING
= PDF
- 202D [LRO] LEFT-TO-RIGHT OVERRIDE
= LRO
- 202E [RLO] RIGHT-TO-LEFT OVERRIDE
= RLO
- 202F [NBSP] NARROW NO-BREAK SPACE
→ 00A0 [NBSP] no-break space
≈ <noBreak> 0020 [SP]

General punctuation

- 2030 ‰ PER MILLE SIGN
→ 0025 % percent sign
- 2031 ‱ PER TEN THOUSAND SIGN
→ 0025 % percent sign
- 2032 ' PRIME
= minutes, feet
→ 0027 ' apostrophe
→ 00B4 ´ acute accent
→ 02B9 ´ modifier letter prime
- 2033 " DOUBLE PRIME
= seconds, inches
→ 0022 " quotation mark
→ 02BA " modifier letter double prime
→ 201D ” right double quotation mark
→ 3003 ” ditto mark
→ 301E ” double prime quotation mark
≈ 2032 ' 2032 '
- 2034 ‴ TRIPLE PRIME
≈ 2032 ' 2032 ' 2032 '
- 2035 ` REVERSED PRIME
→ 0060 ` grave accent
- 2036 ′ REVERSED DOUBLE PRIME
→ 301D “ reversed double prime quotation mark
≈ 2035 ` 2035 `
- 2037 ″ REVERSED TRIPLE PRIME
≈ 2035 ` 2035 ` 2035 `
- 2038 ^ CARET
→ 2303 ^ up arrowhead

- 2039 ‹ SINGLE LEFT-POINTING ANGLE QUOTATION MARK
= LEFT POINTING SINGLE GUILLEMET
• usually opening, sometimes closing
→ 003C ‹ less-than sign
→ 2329 ‹ left-pointing angle bracket
→ 3008 ‹ left angle bracket
- 203A › SINGLE RIGHT-POINTING ANGLE QUOTATION MARK
= RIGHT POINTING SINGLE GUILLEMET
• usually closing, sometimes opening
→ 003E › greater-than sign
→ 232A › right-pointing angle bracket
→ 3009 › right angle bracket
- 203B ※ REFERENCE MARK
= Japanese kome
= Urdu paragraph separator
→ 0FBF ※ tibetan ku ru kha bzhi mig can
- 203C !! DOUBLE EXCLAMATION MARK
→ 0021 ! exclamation mark
≈ 0021 ! 0021 !
- 203D ? INTERROBANG
→ 0021 ! exclamation mark
→ 003F ? question mark
- 203E ¯ OVERLINE
= SPACING OVERSCORE
≈ 0020 [sp] 0305 ¯
- 203F ~ UNDERTIE
= Greek enotikon
→ 2323 ~ smile
- 2040 ˘ CHARACTER TIE
→ 2322 ˘ frown
- 2041 ⁂ CARET INSERTION POINT
• proofreader's mark: insert here
→ 22CC ⁂ right semidirect product
- 2042 ** ASTERISM
- 2043 - HYPHEN BULLET
- 2044 / FRACTION SLASH
= solidus (in typography)
• for composing arbitrary fractions
→ 002F / solidus
→ 2215 / division slash
- 2045 [LEFT SQUARE BRACKET WITH QUILL
- 2046] RIGHT SQUARE BRACKET WITH QUILL
- 2047 ☐ <reserved>
- 2048 ?! QUESTION EXCLAMATION MARK
• designed for use in vertical text
≈ 003F ? 0021 !
- 2049 !? EXCLAMATION QUESTION MARK
• designed for use in vertical text
≈ 0021 ! 003F ?
- 204A ˆ TIRONIAN SIGN ET
• Irish Gaelic, ...
- 204B ¶ REVERSED PILCROW SIGN
→ 00B6 ¶ pilcrow sign

- 204C ◀ BLACK LEFTWARDS BULLET
- 204D ▶ BLACK RIGHTWARDS BULLET

Deprecated

- 206A [sb] INHIBIT SYMMETRIC SWAPPING
- 206B [as] ACTIVATE SYMMETRIC SWAPPING
- 206C [af] INHIBIT ARABIC FORM SHAPING
- 206D [aps] ACTIVATE ARABIC FORM SHAPING
- 206E [na] NATIONAL DIGIT SHAPES
- 206F [no] NOMINAL DIGIT SHAPES